



Green(er) software for green(er) clouds: environmental sustainability in cloud-based software systems

- HPC & The Roaring 20s of Computing on the occasion of Henri Bal's retirement symposium
- May 2025

Vasilios Andrikopoulos Associate Professor v.andrikopoulos@rug.nl





Take home messages

You can't manage what you don't measure correctly

Lots of ground to be covered in greening cloud software





Sustainability





The Brundtland Report aka Our Common Future

27. Humanity has the ability to make *development sustainable* to ensure that *it meets* the needs of the present without compromising the ability of future generations to meet their own needs. The concept of sustainable development does imply limits - not absolute limits but limitations imposed by the present state of technology and social organization on environmental resources and by the ability of the biosphere to absorb the effects of human activities. But technology and social organization can be both managed and improved to make way for a new era of economic growth. The Commission believes that widespread poverty is no longer inevitable. Poverty is not only an evil in itself, but sustainable development requires meeting the basic needs of all and extending to all the opportunity to fulfil their aspirations for a better life. A world in which poverty is endemic will always be prone to ecological and other catastrophes.



SE AR CH

Sustainable Development Goals (SDGs)





Sustainability Pillars

- 1. Environmental
- 2. Societal
- 3. Economical



SE

AR

CH





Sustainability as a software quality



Following <u>Lago et</u> <u>al. 2015</u>





Environmental sustainability





20.9% of projected electricity demand

Environmental impact

Emissions aka Carbon footprint =

Energy consumption x Carbon Intensity + Inherent emissions

9,000 terawatt hours (TWh) -

ENERGY FORECAST

Widely cited forecasts suggest that the total electricity demand of information and communications technology (ICT) will accelerate in the 2020s, and that data centres will take a larger slice.

Networks (wireless and wired)

Production of ICT

 Consumer devices (televisions, computers, mobile phones)

2016

2018 2020

2022 2024 2026

Data centres

2012 2014

2010

Source: Jones 2018

2030

2028





Measuring and reporting emissions

GreenHouse Gas (GHG) Protocol as the *de facto* reporting standard



Scope 2

Indirect but controlled emissions e.g. electricity

Scope 3

Indirect but not under control emissions e.g. transportation and disposal of equipment





Carbon footprint in multi-tenant environments

 How to allocate emissions among tenants of the same service?

 How to measure the emissions of a service deployed on the cloud/in a DC? What are the Scope 3 emissions attributable to the tenants?

What to include in these emissions?





Collaboration with BT Global Services



Total Energy use = %age of Kilowatt Hours in 6 Data Centers





Sustainability Report generator

Takes utilization data as input

Evaluated positively in a round of interviews with account holders

https://arxiv.org/abs/2305.10439



5.00 Tnet

0.01 Tnet

5

apr

Gross

10

spective

10000 KG CO₂ is equivalent to:

- 39934.09 km driven by a car¹.
- ✤ 31.42 flights from Amsterdam to New York².
- 82200 smartphones charged³.

Breakdown

feb

Total Carbon Footprint (TCFP):

Average per agent (based on 500 agents):

10.5

5.25

mar

Carbon footprint over the past three months

10.00 Taross

0.02 Tgross

11

5.5

Metric Tons of CO₂

Carbon Intensity: 380 g/kWh⁴ Total energy consumption: 26315.79 kWh Energy consumption (emissions) per device type:



Offset methods

There are various ways in which BT offsets these carbon emissions already, such as by using green energy, and by buying renewable energy certificates.

Percentage of energy that is green: 30% Renewable energy certificates (scaled to your energy consumption): 2000 KG Energy consumption (emissions) after offset:







Energy consumption versus usage patterns







Carbon intensity as function of time







Carbon footprint as a semi-stochastic process







Footprint/energy consumption per active users







Carbon footprint Energy consumption in multi-tenant environments

 How to allocate emissions energy consumption among tenants of the same service?

 How to measure the emissions energy consumption of a service deployed on the cloud/in a DC?

How to cut through all the virtualization layers?

What is the "platform" overhead?





Virtualization layers in a Cloud-native application







Virtualization layers in a Cloud-native application







Observability Stack for Cloud-native applications







Energy consumption distribution in the cluster



https://doi.org/10.1145/3676151.3719371





Energy consumption distribution in the cluster



https://doi.org/10.1145/3676151.3719371





Digging deeper in Kubernetes



Container power usage





The problem(s) with Kepler





https://arxiv.org/abs/2504.10702





KubeWatt to the rescue





https://github.com/bjornpijnacker/kubewatt





In summary





Take home messages

You can't manage what you don't measure correctly

> Measuring emissions/energy in the cloud is a wicked problem

Lots of ground to be covered in greening cloud software

> Improvements required in observability tools and platform software